

	Type	Hits	Search Text	DBs
1	BRS	1047	((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)	USPAT; EPO; JPO; Derwent; IBM TDB
2	BRS	6100	(request or instruction) adj (queue or buffer)	USPAT; EPO; JPO; Derwent; IBM TDB
3	BRS	107067	overflow\$3	USPAT; EPO; JPO; Derwent; IBM TDB
4	BRS	1	((((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)) same ((request or instruction) adj (queue or buffer))) same overflow\$3	USPAT; EPO; JPO; Derwent; IBM TDB
5	BRS	28	((((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)) same ((request or instruction) adj (queue or buffer))) and overflow\$3	USPAT; EPO; JPO; Derwent; IBM TDB
6	BRS	13	((((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)) same overflow\$3	USPAT; EPO; JPO; Derwent; IBM TDB
7	BRS	1	((((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)) same ((request or instruction) adj (queue or buffer))) and ((((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)) same overflow\$3)	USPAT; EPO; JPO; Derwent; IBM TDB
8	BRS	1	((((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)) same ((request or instruction) adj (queue or buffer))) same ((((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)) same overflow\$3)	USPAT; EPO; JPO; Derwent; IBM TDB
9	BRS	2756	(request) adj (queue or buffer)	USPAT; EPO; JPO; Derwent; IBM TDB
10	BRS	6	((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)) same ((request) adj (queue or buffer))	USPAT; EPO; JPO; Derwent; IBM TDB

	Type	Hits	Search Text	DBs
11	BRS	0	((((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)) same overflow\$3) and (((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)) and ((request) adj (queue or buffer)))	USPAT; EPO; JPO; Derwent; IBM TDB
12	BRS	36	overflow\$3 and (((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)) and ((request) adj (queue or buffer)))	USPAT; EPO; JPO; Derwent; IBM TDB
13	BRS	101	((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)) same ((request or instruction) adj (queue or buffer))	USPAT; EPO; JPO; Derwent; IBM TDB
14	BRS	68	((pre adj fetch\$) or (prefetch\$)) adj (queue or buffer or FIFO)) and ((request) adj (queue or buffer))	USPAT; EPO; JPO; Derwent; IBM TDB
15	BRS	5445	scheduler	USPAT; EPO; JPO; Derwent; IBM TDB
16	BRS	99	scheduler same (request adj (queue or buffer))	USPAT; EPO; JPO; Derwent; IBM TDB
17	BRS	1	scheduler same (request adj (queue or buffer)) same (cache adj miss)	USPAT; EPO; JPO; Derwent; IBM TDB
18	BRS	13	(overflow\$3 or watermark\$) same (prefetch adj (buffer or queue))	USPAT; EPO; JPO; Derwent; IBM TDB
19	BRS	0	purge same miss same scheduler	USPAT; EPO; JPO; Derwent; IBM TDB
20	BRS	1	(purge or flush) same miss same scheduler	USPAT; EPO; JPO; Derwent; IBM TDB

	Type	Hits	Search Text	DBs
1	BRS	4777	stream\$3 near5 buffer	USPAT; EPO; JPO; Derwent; IBM TDB
2	BRS	108894	overflow\$3 or watermark	USPAT; EPO; JPO; Derwent; IBM TDB
3	BRS	997	(stream\$3 near5 buffer) and (overflow\$3 or watermark)	USPAT; EPO; JPO; Derwent; IBM TDB
4	BRS	2930	request adj (queue or FIFO or buffer)	USPAT; EPO; JPO; Derwent; IBM TDB
5	BRS	224	(stream\$3 near5 buffer) same (overflow\$3 or watermark)	USPAT; EPO; JPO; Derwent; IBM TDB
6	BRS	4	(request adj (queue or FIFO or buffer)) and ((stream\$3 near5 buffer) same (overflow\$3 or watermark))	USPAT; EPO; JPO; Derwent; IBM TDB
7	BRS	45	((stream\$3 near5 buffer) and (overflow\$3 or watermark)) and (request adj (queue or FIFO or buffer))	USPAT; EPO; JPO; Derwent; IBM TDB

	Type	Hits	Search Text	DBs
1	BRS	4635	stream near5 buffer	USPAT; EPO; JPO; Derwent; IBM TDB
2	BRS	4777	stream\$3 near5 buffer	USPAT; EPO; JPO; Derwent; IBM TDB
3	BRS	107067	overflow\$3	USPAT; EPO; JPO; Derwent; IBM TDB
4	BRS	989	(stream\$3 near5 buffer) and overflow\$3	USPAT; EPO; JPO; Derwent; IBM TDB
5	BRS	223	(stream\$3 near5 buffer) same overflow\$3	USPAT; EPO; JPO; Derwent; IBM TDB
6	BRS	30798	request\$3 same (queue or FIFO or buffer)	USPAT; EPO; JPO; Derwent; IBM TDB
7	BRS	396	((stream\$3 near5 buffer) and overflow\$3) and (request\$3 same (queue or FIFO or buffer))	USPAT; EPO; JPO; Derwent; IBM TDB
8	BRS	5	((stream\$3 near5 buffer) same overflow\$3) same (request\$3 same (queue or FIFO or buffer))	USPAT; EPO; JPO; Derwent; IBM TDB
9	BRS	35	((stream\$3 near5 buffer) same overflow\$3) and (request\$3 same (queue or FIFO or buffer))	USPAT; EPO; JPO; Derwent; IBM TDB
10	BRS	1867	request adj queue	USPAT; EPO; JPO; Derwent; IBM TDB
11	BRS	26	((stream\$3 near5 buffer) and overflow\$3) and (request adj queue)	USPAT; EPO; JPO; Derwent; IBM TDB
12	BRS	1935	request\$3 adj (queue or buffe)	USPAT; EPO; JPO; Derwent; IBM TDB
13	BRS	5130	prefetch\$3	USPAT; EPO; JPO; Derwent; IBM TDB
14	BRS	34774	cache or (stream adj buffer)	USPAT; EPO; JPO; Derwent; IBM TDB
15	BRS	2950	prefetch\$3 and (cache or (stream adj buffer))	USPAT; EPO; JPO; Derwent; IBM TDB
16	BRS	108894	overflow\$3 or watermark	USPAT; EPO; JPO; Derwent; IBM TDB
17	BRS	599	(prefetch\$3 and (cache or (stream adj buffer))) and (overflow\$3 or watermark)	USPAT; EPO; JPO; Derwent; IBM TDB
18	BRS	66	prefetch\$3 same (overflow\$3 or watermark)	USPAT; EPO; JPO; Derwent; IBM TDB
19	BRS	20	(cache or (stream adj buffer)) same (prefetch\$3 same (overflow\$3 or watermark))	USPAT; EPO; JPO; Derwent; IBM TDB

	Type	Hits	Search Text	DBs
20	BRS	0	(request\$3 adj (queue or buffe)) same ((cache or (stream adj buffer)) same (prefetch\$3 same (overflow\$3 or watermark)))	USPAT; EPO; JPO; Derwent; IBM TDB
21	BRS	3	(request\$3 adj (queue or buffe)) and ((cache or (stream adj buffer)) same (prefetch\$3 same (overflow\$3 or watermark)))	USPAT; EPO; JPO; Derwent; IBM TDB
22	BRS	804	prefetch\$3 and (overflow\$3 or watermark)	USPAT; EPO; JPO; Derwent; IBM TDB
23	BRS	599	(cache or (stream adj buffer)) and (prefetch\$3 and (overflow\$3 or watermark))	USPAT; EPO; JPO; Derwent; IBM TDB
24	BRS	50	(request\$3 adj (queue or buffe)) and ((cache or (stream adj buffer)) and (prefetch\$3 and (overflow\$3 or watermark)))	USPAT; EPO; JPO; Derwent; IBM TDB
25	BRS	181	memory same latency same prefetch	USPAT; EPO; JPO; Derwent; IBM TDB
26	BRS	52	(memory same latency same prefetch) and (overflow or watermark)	USPAT; EPO; JPO; Derwent; IBM TDB
27	BRS	31	(memory same latency same prefetch) and ((overflow or watermark) same cache)	USPAT; EPO; JPO; Derwent; IBM TDB

	Type	Hits	Search Text	DBs
1	BRS	0	(cache adj queue) near10 prefetch	USPAT; EPO; JPO; Derwent; IBM TDB
2	BRS	1004	cache adj (queue or buffer)	USPAT; EPO; JPO; Derwent; IBM TDB
3	BRS	5859	prefetch\$3 or pre-fetch\$3	USPAT; EPO; JPO; Derwent; IBM TDB
4	BRS	193257	request	USPAT; EPO; JPO; Derwent; IBM TDB
5	BRS	173	((cache adj (queue or buffer)) and (prefetch\$3 or pre-fetch\$3)) and request	USPAT; EPO; JPO; Derwent; IBM TDB
6	BRS	51	((cache adj (queue or buffer)) same (prefetch\$3 or pre-fetch\$3)) and request	USPAT; EPO; JPO; Derwent; IBM TDB
7	BRS	68	(cache adj (queue or buffer)) same (prefetch\$3 or pre-fetch\$3)	USPAT; EPO; JPO; Derwent; IBM TDB
8	BRS	3305	request adj3 queue	USPAT; EPO; JPO; Derwent; IBM TDB
9	BRS	93	(predetermin\$3 adj3 level) same cache	USPAT; EPO; JPO; Derwent; IBM TDB
10	BRS	119830	(predetermin\$3 adj3 level)	USPAT; EPO; JPO; Derwent; IBM TDB
11	BRS	0	(request adj3 queue) and ((cache adj (queue or buffer)) same ((predetermin\$3 adj3 level)))	USPAT; EPO; JPO; Derwent; IBM TDB
12	BRS	1	(cache adj (queue or buffer)) same ((predetermin\$3 adj3 level))	USPAT; EPO; JPO; Derwent; IBM TDB
13	BRS	1	(request adj3 queue) and ((cache adj (queue or buffer)) and ((predetermin\$3 adj3 level)))	USPAT; EPO; JPO; Derwent; IBM TDB
14	BRS	24	(cache adj (queue or buffer)) and ((predetermin\$3 adj3 level))	USPAT; EPO; JPO; Derwent; IBM TDB
15	BRS	3	((cache adj (queue or buffer)) same (prefetch\$3 or pre-fetch\$3)) and (request adj3 queue)	USPAT; EPO; JPO; Derwent; IBM TDB
16	BRS	163704 3	predetermin\$3	USPAT; EPO; JPO; Derwent; IBM TDB
17	BRS	6623	(request or command) near5 queue	USPAT; EPO; JPO; Derwent; IBM TDB
18	BRS	72	((cache adj (queue or buffer)) and (prefetch\$3 or pre-fetch\$3)) and ((request or command) near5 queue)	USPAT; EPO; JPO; Derwent; IBM TDB

	Type	Hits	Search Text	DBs
19	BRS	196	(cache adj (queue or buffer)) and (prefetch\$3 or pre-fetch\$3)	USPAT; EPO; JPO; Derwent; IBM TDB